

optionally at least one barrier layer, the blown film
[made]obtained by a [rapid]film fabrication process wherein
the process time is 12 seconds or less, and wherein the
adhesive composition[,] comprises:

a) a polyethylene selected from the group consisting of
conventional-HDPE, conventional-MDPE, conventional-LLDPE,
conventional-VLDPE, LDPE, and a blend of any of these five,

b) from 5 to 35 weight percent, based on the total weight
of a) plus b) plus c), of an acid-grafted substantially linear
polyethylene, c) optionally up to 30 weight percent of a
hydrocarbon elastomer,
the acid grafting agent being an unsaturated carboxylic acid or
its derivative, and the level of grafting being such that the
total amount of grafting agent in the total composition a) plus
b) plus c) is from 0.01 to 3 weight percent.

After amendment, Claim 15 should read as follows:

15. (amended) A coextrusion blown film comprising at least one
structural layer, at least one adhesive layer and optionally at
least one barrier layer, the blown film obtained by a film
fabrication process wherein the process time is 12 seconds or
less, and wherein the adhesive composition comprises:

a) a polyethylene selected from the group consisting of
conventional-HDPE, conventional-MDPE, conventional-LLDPE,
conventional-VLDPE, LDPE, and a blend of any of these five,

b) from 5 to 35 weight percent, based on the total weight
of a) plus b) plus c), of an acid-grafted substantially linear
polyethylene, c) optionally up to 30 weight percent of a
hydrocarbon elastomer,
the acid grafting agent being an unsaturated carboxylic acid or
its derivative, and the level of grafting being such that the
total amount of grafting agent in the total composition a) plus
b) plus c) is from 0.01 to 3 weight percent.

REMARKS

About the Amendment

The amendment was made in order to independently claim a
blown film obtained by a rapid fabrication process wherein the
process time is 12 seconds or less. A blown film prepared by